
IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Company: Compliant Cleaning Supplies
Address: 23 Norman St, Ascot, QLD, 4007
Phone: 3868 2609 Fax: 3630 1523
Emergency Telephone Number: Poisons Information Centre 131126 or company 3868 2609

Product Name: STAINLESS STEEL FINISH

Other Names: None
Manufacturer's Product Code: rapt
Recommended Use: oil based cleaner/polish

HAZARDS IDENTIFICATION

**CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA
NOT DANGEROUS ACCORDING TO THE CRITERIA OF THE ADG CODE FOR TRANSPORT**

Symbol :- X_n (Harmful); T (Toxic). X_i (Irritant)

Risk Phrases: R38 Irritating to skin; R43 May cause sensitisation by skin contact; R45 May cause cancer; R65 Harmful – may cause lung damage if swallowed;

Safety Phrases: S2 Keep out of the reach of children; S16 Keep away from all sources of ignition – no smoking S23 Do not breath vapour; S24 Avoid contact with skin.

COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS

<i>Chemical Entity</i>	<i>CAS Number</i>	<i>Proportion (%)</i>
Naptha (petroleum) hydrotreated heavy.	64742 – 48 -9	30 - 60
Citrus Terpenes	5989 – 27 - 5	< 10
Other components deemed not hazardous by ASCC		To 100

FIRST AID MEASURES

FIRST AID TREATMENT

Swallowed: If swallowed, DO NOT induce vomiting. Give a glass of water to drink and seek medical advice.

Eye: If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Skin: If skin contact occurs, remove contaminated clothing and wash skin thoroughly. Wash clothing before reuse.

Inhaled: Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing.

Allow patient to assume a comfortable position and keep warm. Seek medical assistance if symptoms persist.

First Aid facilities: Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

Advice to Doctor: Treat symptomatically.

Additional Information: None available.

FIRE FIGHTING MEASURES

Fire/Explosion Hazard: This product is combustible. Will float and may be reignited on surface water. Vapour is heavier than air and can spread along the ground and be ignited from a distance. Fire fighters to wear self-contained breathing apparatus in the event of a fire. Use water fog, or fine spray mist to extinguish.

Additional Information: No Hazchem code is applicable.

ACCIDENTAL RELEASE MEASURES

Spills and Disposal: Avoid contact with spills and isolate leaks if any. Increase ventilation remove all sources of ignition and sparks including static electricity by adequate grounding of equipment. Contain with sand or diatomaceous earth. Remove by shovelling and dry dumping through licensed contractor. Do not let product enter water ways.

Product: STAINLESS STEEL FINISH

HANDLING AND STORAGE

Precautions for Safe Handling and Storage: Keep area well ventilated. When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary, ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not store or allow contact with strong oxidising agents eg hypochlorites or peroxides. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, remove contaminated clothing and wash hands.

Dispensing: Always use clean and dry equipment to dispense the product. Dispensers should be cleaned and dried before and after use. All dispensers should be washed out after use, and then dried.

Flammability: Combustible Material.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards: There are no exposure standards available for this product, however a general exposure limit indicator maybe used, such as 1200 mg/m³.TWA (8 hour.) This limit is consistent with other products of this nature.

Personal Protective Equipment: Use sensible work practices that reduce operator exposure to the product. Protective clothing and equipment should be worn: Safety glasses are essential. Respiratory protection should be used if there is a risk of exposure to high vapour concentrations. Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.

Engineering Controls: Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists. Keep containers closed when not in use. Make sure there are no risks of sparks and that all electrical equipment is grounded.

IDENTIFICATION

PHYSICAL DESCRIPTION / CHEMICAL PROPERTIES

Appearance	Clear, mobile water white liquid.
Odour	Slight solvent and citrus.
Boiling Point (°C):	About 200 deg C
Vapour Pressure (mmHg @ 20°C):	0.05 mm Hg
Specific Gravity (g/ml @ 25°C):	0.81
Flashpoint (°C):	> 80 deg C
Flammability Limits (%):	0.7 – 0.6
Solubility in Water	Not Soluble
pH:	Not applicable

STABILITY AND REACTIVITY

Reactivity Hazards: Store in a cool dry place. Will react violently with chlorine products and oxygenated products.

TOXICOLOGICAL INFORMATION

HEALTH EFFECTS

Acute:

Swallowed: May cause discomfort and irritation, possibly nausea, and diarrhoea

Eye: May cause stinging blurring and severe irritation

Skin: Prolonged contact may cause irritation., itchiness and redness.

Inhaled: Inhalation of fine mists may cause irritation , headaches, dizziness and nausea.

Chronic: Skin irritation in individuals with prolonged contact.

Product: STAINLESS STEEL FINISH

ECOLOGICAL INFORMATION

Ecotoxicity: Concentrated product may harm environment. Will float on water and vapour is heavier than air.

DISPOSAL CONSIDERATIONS

Disposal Methods: Dilute well with sand or diatomaceous earth, dry dump. Consult Local Authority on disposal.

TRANSPORT INFORMATION

UN Number:	None allocated	Proper Shipping Name:	None allocated
Class:	None allocated	Subsidiary Risk:	None allocated
Packing Group:	None allocated	Hazchem Code:	None allocated

REGULATORY INFORMATION

Poisons Schedule: None allocated

]

Symbol :- X_n (Harmful); T (Toxic). X_i (Irritant)

Risk Phrases: R38 Irritating to skin; R43 May cause sensitisation by skin contact; R45 May cause cancer; R65 Harmful – may cause lung damage if swallowed;

Safety Phrases: S2 Keep out of the reach of children; S16 Keep away from all sources of ignition – no smoking S23 Do not breath vapour; S24 Avoid contact with skin.

OTHER INFORMATION

Further Information may be obtained by contacting the manufacturer on (07) 3166 0706.

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product.

END OF MSDS